

# CHARM ALKALINE PHOSPHATASE CONFIRMATION WATER BATH / HEAT BLOCK

65 - 67°C – Day of Use

WATER BATH / HEAT BLOCK ID \_\_\_\_\_

YEAR \_\_\_\_\_

	JAN	Initials	FEB	Initials	MAR	Initials	APR	Initials	MAY	Initials	JUN	Initials
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												

\* Indicates adjustment made to thermostat

Circled dates indicate cleaning

Correction factors are applied before recording temperature on form.

Comments: \_\_\_\_\_

# CHARM ALKALINE PHOSPHATASE CONFIRMATION WATER BATH / HEAT BLOCK

65 - 67°C - Day of Use

WATER BATH / HEAT BLOCK ID \_\_\_\_\_

YEAR \_\_\_\_\_

	JUL	Initials	AUG	Initials	SEP	Initials	OCT	Initials	NOV	Initials	DEC	Initials
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												
31												

\* Indicates adjustment made to thermostat

Circled dates indicate cleaning

Correction factors are applied before recording temperature on form.

Comments: \_\_\_\_\_